

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listing, of claims in the application:

**Listing of Claims:**

Claims 1-24 (cancelled).

24. (Previously Presented) A mobile fumigation system comprising:  
an ISO general purpose shipping container that includes a first gas-tight compartment including a fumigation chamber being adapted to contain cargo to be fumigated;  
the shipping container further comprising a second compartment including a fumigation apparatus operatively coupled to the fumigation chamber, and  
a partition wall separating the first compartment and the second compartment,  
wherein the fumigation apparatus includes:  
a fumigant inlet device operatively coupled to the fumigation chamber through the partition wall to allow a flow of a toxic fumigant into the fumigation chamber;  
an extraction device operatively coupled to the fumigation chamber and arranged to remove a majority of the toxic fumigant from the fumigation chamber;  
and  
an absorption device operatively coupled to the extraction device, the absorption device being designed to absorb the toxic fumigant removed from the fumigation chamber in order to prevent a release of the toxic fumigant into atmosphere.

25. (Previously Presented) A mobile fumigation system, comprising:  
a fumigation chamber defined by at least one gas-tight ISO general purpose shipping container adapted to accommodate cargo to be fumigated, and  
a fumigation apparatus located in a separate container,  
wherein the fumigation apparatus is operatively coupled to the fumigation chamber of the at least one ISO gas-tight general purpose shipping container, the fumigation apparatus comprising:  
a fumigant inlet device for flowing a toxic fumigant into the fumigation chamber;  
an extraction device for removing a majority of the toxic fumigant from the fumigation chamber; and  
an absorption device for absorbing the toxic fumigant removed from the fumigation chamber in order to prevent a release of the toxic fumigant into atmosphere.

Claims 26-27 (cancelled).

28. (Previously Presented) The fumigation system of claim 25 wherein the absorption device comprises an absorption bed including activated carbon for absorbing at least part of the fumigant extracted from the fumigation chamber.

29. (Previously Presented) The fumigation system of claim 25 further comprising a sliding bed or floor on which the produce resides, the bed or floor being configured to slide into and out of the fumigation chamber wherein loading and unloading of the cargo to be fumigated can be performed externally of the chamber.

30. (Previously Presented) The fumigation system of claim 25 wherein the fumigation apparatus incorporates a source of the fumigant which is directly associated with a heating source, the latter used to convert the fumigant into a gaseous form.

31. (Previously Presented) The fumigation system of claim 25 wherein the fumigant inlet device is adapted to detachably couple to a mobile source of the fumigant.

32. (Previously Presented) The fumigation system of claim 25 wherein the fumigation apparatus includes a system control box, a gas-tight fumigant supply source and a plurality of fumigant delivery pipes and valves effective for supplying fumigant from a supply source through a partition wall to the fumigation chamber.

33. (Previously Presented) The fumigation system of claim 32 wherein the fumigant inlet device is coupled to a dispersion pipe system located in the fumigation chamber.

34. (Previously Presented) The fumigation system of claim 25 wherein the fumigation chamber contains a plurality of floor and wall-mounted pipes independently connected via a system of taps and connectors to a fumigant sampling and detection meter unit located in the fumigation apparatus.

35. (Previously Presented) The fumigation system of claim 32 wherein the system control box contains a fumigant sampling and detection meter unit and power supply switches for mixing fans, exhaust fan, lights, gas heaters and valve actuators.

36. (Previously Presented) The fumigation system of claim 28, further comprising a device for washing at least part of the absorption bed with a chemical solution to remove and degrade the absorbed fumigant.

37. (Previously Presented) The fumigation system as defined in claim 36 wherein the solution comprises sodium thiosulphate for degrading methyl bromide.

Claims 38-39 (cancelled).

40. (Previously Presented) The mobile fumigation system of claim 25 wherein the fumigation chamber includes a pair of shipping containers positioned alongside one another, each container operatively coupled to the fumigation apparatus.

41. (Previously Presented) The mobile fumigation system of claim 40 wherein the fumigant inlet device is adapted to detachably couple to a mobile source of the fumigant.

42. (Previously Presented) The mobile fumigation system of claim 40 wherein the fumigation apparatus incorporates a system control box, a fumigant supply source and a system of fumigant delivery pipes and valves adapted in use to supply fumigant from the supply source to the fumigation chamber.

43. (Previously Presented) The mobile fumigation system of claim 42 wherein the fumigant inlet device is operatively coupled to a dispersion pipe system located in the fumigation chamber.

44. (Previously Presented) The mobile fumigation system of claim 43 wherein the fumigation chamber contains a plurality of floor and wall-mounted pipes independently connected via a system of taps and connectors to a fumigant sampling and detection meter unit located in the separate container.

45. (Previously Presented) A mobile fumigation system comprising:  
an ISO general purpose shipping container that includes a first compartment containing a fumigation chamber being adapted to contain cargo to be fumigated; and  
the shipping container further comprising a second compartment containing a fumigation apparatus operatively coupled to the fumigation chamber, the fumigation apparatus including:

a fumigant inlet device for providing a flow of a toxic fumigant into the fumigation chamber;

an extraction device for removing a majority of the toxic fumigant from the fumigation chamber; and

an absorption device for absorbing the toxic fumigant removed from the fumigation chamber in order to prevent a release of the toxic fumigant into atmosphere.